# Honeoye Lake Fishery Update -2025


Pete Austerman Aquatic Biologist NYSDEC – Region 8 Fisheries

## **2017 Statewide Angler Survey**

36<sup>th</sup> most fished water body in NY

Most targeted species:

- 1. Largemouth Bass
- 2. Sunfish (bluegills and pumpkinseeds)
- 3. Walleye



### Topics

- Big Panfish Initiative (BPI)
- Angler Diary Program
- Walleye

#### Honeoye Lake – Big Panfish Initiative (BPI) Trap Netting





### **BPI Objectives**

 Achieve a population size structure in which 30% of all stock size (> 3 in) sunfish will be at least <u>8 inches</u>, and 5% will be at least <u>10</u>

<u>inches</u>.



• Achieve a population size structure in which 60% of all stock size (> 5 in) **crappie** will be at least <u>8 inches</u>, and 20% will be at least

<u>10 inches</u>.





### Study Lakes

- Bear Lake
- Silver Lake
- Honeoye Lake
- Waneta/Lamoka Lakes
- Otisco Lake
- Cazenovia Lake
- Sixtown Pond
- Red Lake
- Delta Lake
- Saratoga Lake
- Canadarago Lake
- Goodyear Lake
- Lake Welch
- Muscoot Reservoir
- Blydenburgh Lake

## **Fishing Regulations**

- Sunfish
  - New regulations on study lakes
  - 8-inch minimum size; 15 per day

- Crappie
  - Statewide regulation change
  - Increased minimum size from 9-inch to 10-inch



**NEW YORK STATE** 







## Monitoring

- Spring trap netting
- Pre-regulation change 2021 and 2022
- Post-regulation change 2023 through 2025


#### Objective: 30% of all stock size (> 3 in) **sunfish** will be at least <u>8 inches</u>




#### Objective: 5% of all stock size (> 3 in) **sunfish** will be at least <u>10 inches</u>



#### Objective: 60% of all stock size (> 5 in) **crappie** will be at least <u>10 inches</u>



#### Stock size (> 5 in) **crappie** > <u>12 inches</u>



### **Overall Results**

- From 2021/22 to 2024, we've seen increases in:
  - the proportion of 8"+ bluegills in 6 waters (Goodyear, Honeoye, Otisco, Red, Saratoga, and Silver).
  - the proportion of 8"+ pumpkinseeds in 1 water (Sixtown)
  - the proportion of 10"+ black crappie in 4 waters (Delta, Honeoye, Saratoga, Silver)
  - the proportion of 12"+ black crappie in 3 waters (Delta, Lamoka, Waneta)
- Very few 10"+ sunfish have been collected overall. We have not seen an increase in this size class in any water.
- Growth and condition metrics for all species/waters have remained relatively consistent throughout the study.

### **Other Factors**


- Largemouth Bass density
  - Studies in South Dakota, Minnesota, Wisconsin, and many southern waters suggest high density bass populations lead to good size structure for bluegill populations
  - Most of our "successful" BPI waters have high densities of bass


#### Honeoye Lake Angler Diary Program

- Focused on gamefish (Walleye, Bass, Chain Pickerel)
- 1989 to present

	Warmwater Fish Species <b>Fishing Diary</b> For Angler Cooperators
	Horeoye Lake
	Name of Angler Bob
	Address Abbey Rd Honeoye, NY
	Year
W. S.	Department of Environmental Conservation

#### Gamefish catch rate






#### Angler # 35




0 2009 20

#### LMB over 15 inches







#### LMB over 15 inches



#### LMB over 18 inches



### Walleye angler catch rates








### Angler Diary Program


- Great long-term data to track trends in the fishery
- Bass catch rates declining but more large bass caught
- Walleye catch rates variable helps identify successful stocking
- Need more cooperators

#### Walleye

- Very little, if any, natural reproduction
- Stock about 40,000 fingerlings every other year
- Switched from <u>fry</u> stocking to <u>fingerling</u> stocking in 2018
  - First year very successful
- Switched from 15" to 18" length limit in 2022




#### Walleye Population Estimates



## Walleye

- Time for a population estimate?
- Slow growing after age-4
- Back to 15" size limit?









20-inch walleye – 20 years old

## Summary

Panfish size showing signs of improvement.

Bass density declining since 2009, but largemouth bass average size increasing.

Walleye catch rates up and down – populations estimate in coming years.

Need more angler diary cooperators.



#### Any Questions?